



EXPECT MORE.

(1)

9

(3)



# USE OF TECHNOLOGY AS A FORCE MULTIPLIER, TO FACILITATE ENHANCEMENT OF OPERATIONAL EFFICIENCY OF THE POLICE FORCE: INTEGRATION OF LEGACY COMMUNICATION SYSTEMS WITH RADIO INTERFACE AND DATA COMMUNICATION DEVICES.

#### **Agenda**



- Matrix ComSec Pvt Ltd.
- Challenges being faced by Police Force
- Measures envisaged to optimally counter these challenges
- Radio Gateways.
- Data gateway.
- Security solutions
- Welfare and safety of families of Police personnel




- Established in 1991
- Products: 60+
   Telecom and Security Solutions
- Global Presence: 40+ Countries
- No. of Partners: 500+
- No. of Employees: 400+

www.MatrixComSec.com



#### **CORPORATE OFFICE**

- Based at Vadodara, Gujarat, India
- Departments: Marketing, Sales, Product Management, Support, Finance, Customer Care, Purchase



#### **R&D CENTER**

- 77,000 Sq.Ft
- More than 40% Manpower in R&D, 700+ Man-years of R&D Experience
- World-class Technology Platform and Processes



#### **MANUFACTURING UNIT**

- 73,000 Sq.Ft
- 100+ Work Stations
- International Quality Systems and Processes

#### Awards and Achievements



2012 India Design Mark Award for Matrix
 Time-Attendance and Access Control Solutions



 2010 Internationally Acclaimed RED DOT Design Award for Matrix Security Solutions



 2010 Germany based Internationally Acclaimed IF Design Award for Thoroughly Engineered and Innovative Matrix Security Solutions



2007 IETE Corporate Award for Excellence in Computer and Telecommunication
 Systems by the Institution of Electronics and Telecommunication Engineers, India

## ETERNITY IP-PBX Family







**ETERNITY GE6S** 



Matrix ETERNITY: The IP-PBX with
Seamless Mobility and Universal
Connectivity







# Matrix ETERNITY LE The Complete Communication System for Large Enterprises

# MATRIX TELECOM SOLUTIONS

#### **Challenges being faced by Police Force**

- Economic & commercial crime.
- Transnational crimes.
- Gender Based crimes.
- Traffic crimes.
- Organized crimes.
- Robbery, and stealing.
- Terrorism.
- Drug trafficking.
- Cyber Crimes.
- Illegal Immigration

# Measures Envisaged to counter these challenges


- Training of Police personnel.
- Technological advancement.
  - Telephone Line, Tape recording, GSM, CDMA,
     Satellite, IP, E 1/ PRI, Radios HF, VHF, UHF freq.
  - Photography, CCTV.
  - Finger printing., RFID
  - DNA profiling.
  - New networked computers, linked to telecommunications -laptops, hand held computers.
  - Internet, e-mails, Real time Information Access




## Radio Gateway

- Requirement to develop Radio Gateway.
- Market Research prior to development.
- Testing and trials.
- Currently deployed?





### Radio Interoperability (Application)



### Interoperable with Radios



- MOTOROLA GM338
- TADIRAN RT 6001/PRC 6020 (HF)
- TADIRAN RT-7330M (VHF)
- STARS V MKII 25W
- LUP 322 (UHF)
- HYT TM-610
- ICOMM
- CODAN







Single Line Telephone

UHF Radio N/w

PSTN

VolP ITSP

TWT

STAND ALONE RADIO GATEWAY



Any make PBX









2013. All rights reserved.




### DATA CARD

















#### **SECURITY**

#### **SECURITY SOLUTIONS**

\*\* MATRIX
SECURITY SOLUTIONS

- Matrix IP Video Surveillance
- Matrix SAMAS
- COSEC ACTA
- Boom-Barriers
- Seamless Integration of IPVS and ACAT










#### **COSEC ACCESS CONTROL**

SINGLE DOOR IP PANEL WITH PoE



# CENTRALIZED VIDEO MANAGEMENT SOFTWARE







VMS • NVRs • HVRs • IP CAMERAS • ANALOG CAMERAS • CMS • WEB CLIENT • MOBILE APPLICATIONS

# Welfare and Safety of Families

- Stress factors.
- Communication.
- Relief from Stress.

# Benefits for the Police Force

- Track movement of criminals.
- Locate victims of crime.
- Corroboration of evidence.
- Surveillance of critical locations.



## Conclusion



We put more in the box

so your business can think more out of the box.

Thank You.



Contact: Col V K Pathak(retd),

Mobile: 09988401229,

E mail: vijay.pathak@matrixcomsec.com



BUILT-IN RESOURCES									
System Resources	Description	ETERNITY PE			ETERNITY GE		ETERNITY ME		
	Description	3SS	3SP	6SP	6S	125	105	16S	ETERNITY LE
DKP Ports	Proprietary Digital Key Phones or DSS Consoles	-	-	-	-	-	4	4	4
RS232C (COM) Ports	SMDR/PMS/CAS Interfaces	-	1	1	2	2	2	2	2
USB Port	Reserved for Future Applications	-	1	1	1	1	1	1	1
Analog Input Port (AIP)	External Music Source	-	1	1	1	1	1	1	1
Analog Output Port (AOP)	Public Address System	-	1	1	1	1	1	1	1
Digital Input Port (DIP)	Sensor or Panic Switch	-	-	-	1	1	1	1	н
Digital Output Port (DOP)	Relay, Contactor, Door Lock	-	-	-	1	1	1	1	н
Conference	Number of Conference Participants	6	6	15	15	15	21	21	45*
Voice Messages (16 seconds each)	Auto Attendant, Voice Help, Voice Tones	6	6	6	16	16	16	16	16
Ethernet Port	Web-based Configuration, PMS, SMDR, System Log	1	1	1	1	1	1	1	1

<sup>\*</sup> Max. 21 Participants in Single Conference

EVIETOR HIGHER TODOLTON



		SYSTEM CA	PACITY							
System Resources	Description	Maximum Ports ETERNITY PE								
					ETERNITY GE		ETERNITY ME		ETERNITY LE	
		3SS	3SP	6SP	6S	12S	105	16S		
Universal Slots	For Expansion Cards	3	3	6	6	12	10	16	28	
SLT Ports	Single Line Analog Telephones	24	24	48	120	240	320	320 or 512*	1344	
DKP/DSS Ports	Proprietary Digital Key Phones or DSS Consoles	24	24	32	48	48	64 or 128*	64 or 128*	128	
CO (TWT) Ports	Two Wire Trunk (CO) Lines	8	8	16	96	128	128	128	128	
BRI Ports	ISDN BRI Network or ISDN Compatible Devices	-	6	12	24	32	32	32	32	
T1/E1/PRI Ports	T1 or E1 or ISDN PRI Network or Compatible Device	-	3	6	6	8	8	8	24	
GSM/3G Ports	GSM/3G Network	8	8	8	24	40	64	64	128	
VoIP Cards	VoIP Phones, Softphones, Mobile SIP Clients	3	3	6	6	12	10	16	16	
VoIP Users	Registration of VoIP Phones, Softphones and Mobile SIP Clients	50	50	50	500	500	999	999	999	
VoIP Trunks	SIP Trunks (Clients) for ITSP or Peer-to-Peer	16	16	16	16	16	32	32	32	
VoIP Channels per Card	Simultaneous VoIP Calls per Card	8/16	8/16	8/16	16/32	16/32	16/32	16/32	16/32	
E&M Ports	E&M Network	-	-	-	24	48	80	128	128	
Voice Mail System (Number of Ports)	Voice Mail System with Auto-Attendant and with dedicated Mailbox for each type of extension (Analog, Digital, IP)	16	16	16	16	16	16	16	16	
Magneto Phone Ports	To Connect to Magneto Phones	-	-	-	-	-	80	128	128	
Hot Standby	Hot Redundancy for DC Power Supply and Control Cards	-	-	-	-	-	Yes <sup>#</sup>	Yes <sup>#</sup>	Yes <sup>#</sup>	
Hot Swap	Insertion and Removal of Cards in Power-On Condition	-	-	-	-	-	Yes	Yes	Yes	




		SYSTEM CA							
System Resources	Description	Maximum	Maximum Ports						
		I	ETERNITY PE		ETERNITY GE		ETERNITY ME		ETERNITY LE
		3SS	3SP	6SP	6S	12S	105	16S	
CDMA	CDMA Network				16	16	16	16	16
Direct Optical termination	E1 –FO				6	6	8	8	24
DATA	DATA CRAD 4 PORT				16	16	16	16	16



### Platform Highlights

- IP switching technology .
- IP v 6 complaint and ready from day 1.
- Direct Optical Termination on the card for E1.
- GSM and CDMA Connectivity.
- Radio Gateway ( HF, VHF, UHF).
- Passive Back-Plane.
- Sturdy Assembly (Fully Loaded Transportation).
- Interchangeable User Terminals (ETERNITY PE/GE/ME / LE )
- Redundancy (ETERNITY ME / LE) for CPU and PSU.
- Hot-Swappable Expansion Cards.
- Multiple Mounting Options
- 21 party conf call for ME and 45 party conf call for LE.


# ETERNITY-Inter Networking ELECON SOLUTIONS



Inter Networking using VoIP Card or VoIP Gateway Device




## ETERNITY-Inter Networking Using Radio Link





# ETERNITY-Inter Networking Using VSAT



## **User Terminal Flexibility**



### End User can be

a. Analog telephone:



b. Digital telephone:



C. Sip Enable IP Phones



## **User Terminal Flexibility**



End User can be

d. Matrix Extended IP Phone:



e. Android Mobile Phones:



f. Sip Supported Softphones is PC/Laptop/Tablet:



## **User Terminal Flexibility**



h. Third Party Video phones:



i. Third Party Radio Handset:



î



## Other Features -VoIP Connectivity

- SIP based VoIP Card
- Up to 32 SIP Trunks
- Up to 1000 IP User Registration
- ETERNITY ME/LE: 32 Simultaneous Calls per Card
- Up to 32 SIP Accounts
- Supports Peer-to-Peer Calls (Inter-Branch Office Communication)
- 999 Peer-to-Peer Table Entries
- Multiple Gateways



- IP-PBXs
- Office-in-a-Box
- VoIP and GSM Gateways
- Hotel IP-PBX
- PLCC EPAX
- IP, Digital and Analog Phones



- Time Attendances
- Access Controls
- Video Surveillance Solutions

www.MatrixTeleSol.com

www.MatrixSecuSol.com



#### **TELECOM SOLUTIONS**

- Hospitality Solution
- Call Center Solution
- Healthcare Solution
- VoIP Carriers (ITSPs)
- Internet Service Providers (ISPs)
- Cellular/Mixed Service Providers
- IP-Telephony for Enterprises
- Mobility for Enterprises
- Teleworking Solution
- Wireless Communication
- Convergence
- Multi-site Connectivity

#### **TELECOM PRODUCT RANGE**

#### **IP-PBXs**

SOHO IP-PBX SMB IP-PBX SME IP-PBX

Large Enterprise IP-PBX

#### **TERMINALS**

ATAs
GSM FCTs
Digital Key Phones(DKP)
IP Phones
SIP Phones

#### **GATEWAYS**

VoIP Gateways GSM Gateways Universal Gateways CDMA Gateways

#### **CONVERGENCE**

Office-in-a-Box Solution for Small Businesses

## **QUALITY CERTIFICATIONS**







# Matrix Quality Policy



## **Quality Policy**

The Goal of Matrix Team is to deliver world-class telecom and security products and services to its customers through continual improvements in technology and processes.














The goal of Matrix team is to deliver world-class telecom and security products and services to its customers through continual improvements in technology and processes.

May 1, 2010

Head Office: 394-GIDC, Makarpura, Vadodara-390 010, India. Ph: +91 265 2630555, Fax: +91 265 2636598, E-mail: Inquiry@MatrixComSec.com Factory: 39-GIDC, Waghodia-391 760, Dist. Vadodara, India. Ph; +91 2668 262056/57, Fax: +91 2668 262631



#### STAND ALONE RADIO GATEWAY

- Interoperability with up to 4 radios (VHF/UHF/HF)
- Other interfaces:
- Up to 8 port VolP
- Up to 2 port GSM
- FXO-FXS combination (2+2)
- Power Over Ethernet
- Seamless integration with PBX (any make)



#### STAND ALONE RADIO GATEWAY

- Interoperability with up to 4 radios (VHF/UHF/HF)
- Other interfaces:
- Up to 8 port VolP
- Up to 2 port GSM
- FXO-FXS combination (2+2)
- Power Over Ethernet
- Seamless integration with PBX (any make)



- Data can be transported over E1 from one exch to another.
- Voice and data both use same E1( FE 1 / dynamic).
- No need for separate CSU / DSU.
- IP camera stream can be sent.

## **Awards and Achievements**



 2004 the Award for Excellence in Professional Electronics, conferred by the Ministry of Communication and Information Technology, Government of India

### Others Awards and Achievements

- 2009 the Best Managed Company by Baroda Management Association, India
- 2008 the Best SSI Unit Award by the Federation of Gujarat Industries (FGI), India
- 2008 the Best Electronics Company Award by the Gujarat Electronics and Software Industries Association (GESIA)
- → 2004, 2005, 2006, 2007, 2010, 2011 the EFY Readers' Choice Award for the Best PBX-KTS Company Conferred by popular EFY Magazine